

Physix

Environmental Product Passport



The information in this product passport is only valid for the following variant:


Physix - Art. no. 41721000

[More about Physix on our website](#)

More details about Vitra's environmental mission are available at
vitra.com/about-vitra.

Carbon footprint

The carbon footprint stands for the amount of greenhouse gas emissions (also referred to as carbon emissions) generated throughout a product's entire life cycle. The carbon footprint is most commonly expressed in CO₂ equivalents (CO₂e) as a standard measure for the warming effect of all greenhouse gases.



● Raw materials, incl. extraction and processing	57.4	87.4%
● Production, incl. manufacturing and assembly	0.1	0.1%
● Distribution, use and maintenance	1.9	2.9%
● End of life and disposal	1.4	2.1%
● Non-attributable processes	4.9	7.5%
Total / kg CO₂e	65.7	100%

This calculation includes emissions from direct suppliers (Tier 1).
Total may vary slightly from 100% due to rounding.

Recycling

Following the principle of the circular economy, Vitra uses the largest amount of recycled and recyclable materials possible. This proportion will increase as a result of ongoing product development.

58%

Recycled content

99%


Recyclability

Post-consumer recycled content	Post-industrial recycled content	Total recycled content	Recyclability
57%	1%	58%	99%

Further information including a glossary of terms is available at www.vitra.com/sustainability.

Material composition

Vitra uses a wide range of materials that must all withstand stringent internal and external testing procedures. If a new material is found that is better for the environment and meets Vitra's quality criteria, suitable products are executed in that material.



Materials used in Physix

● Aluminium	51.3%
● Polyamide (glass fiber reinforced)	26.5%
● Steel	18.3%
● Polyester	2.2%
● Other	0.6%
● Other thermoplastics	0.5%
● Polypropylene	0.4%
● Polyurethane	0.2%
Total	100%

Total may vary slightly from 100% due to rounding.

Packaging & logistics

Vitra uses detailed information to elaborate targeted optimisation of transport routes. Preference is given to rail transport whenever feasible, and Vitra aims for the most efficient capacity management possible when using lorries.

Packaging serves to protect the product and minimise the transport volume. Packaging is reduced wherever possible and materials are optimised in terms of their impact on the environment.

Packaging and materials	Purpose	Weight
1 plastic bag made of 50% recycled polyethylene	Protection from dust, humidity and scratches	210 g
Cardboard box, FSC-certified made of min. 50% recycled paper	Product protection and stackability	3.65 kg

Supply chain


Vitra purchases its raw materials and components almost exclusively from suppliers in Europe, which simplifies compliance with uniform statutory standards and shortens transport routes. Vitra maintains long-term relationships with many of its suppliers, some spanning several decades, which is a key advantage for the further development of products, technologies and materials.

80%

European suppliers

100%

assembled in Europe



This map and percentage calculation represents Vitra's direct suppliers (Tier 1). Total may vary slightly from 100% due to rounding.

Provenance of Components

1 Italy	39.23%	5 Romania	8.81%
Mechanical unit	32.09%	Gas spring	8.81%
Base	6.68%		
Other components	0.46%	6 Other countries	0.22%
		Other components	0.22%
2 Taiwan	19.96%		
Backrest	19.96%	Assembly	
		vitra.	
3 Poland	19.01%	Weil am Rhein, Germany	100.00%
Base	19.01%		
4 Germany	12.77%		
Armrests	6.09%		
Castors	4.77%		
Backrest and seat covers	1.46%		
Other components	0.45%		

Certificates

To offer transparency about a product's most important environmental factors, Vitra provides certificates from external testing institutes. In doing so, Vitra concentrates on a selection of certificates that clearly cover the decisive factors of the respective product.

Greenguard

The GREENGUARD label for indoor air quality recognises products that contribute to the creation of healthier indoor environments.



GS

With the GS seal for tested safety, a state-authorised inspection institute certifies the suitability and safety of the construction and monitors production at regular intervals.



Ergonomics Approved

The 'Ergonomics Approved' certificate confirms the fulfilment of ergonomic requirements and testing criteria that exceed the minimum legal regulations for office swivel chairs.



BIFMA

Physix fulfils the ANSI/BIFMA standard X5.1-2011, thus meeting the stringent safety requirements for the US market.

BIFMA

Spare parts

Castors and glides can be ordered directly from vitra.com.

[Link to web shop](#)

For further spare parts, please contact Vitra or your local Vitra partner.

[Link to service contact form](#)



Care instructions

Here you will find care instructions for cover fabrics, leather, plastics and metals.

[Link to website](#)




Warranty & Service

General two-year warranty on Physix.

For matters relating to maintenance and repair or general enquiries, contact our Service Team using the following form.

[Link to service contact form](#)



Find Vitra

Here you can find Vitra or a Vitra partner for local support.

[Find Vitra](#)



Further information and contact details

The information in this product passport is only valid for the following variant:

Physix - Art. no. 41721000

Aluminium base polished,
cover TrioKnit,
five-star aluminium base polished,
castors soft braked for hard floor

[More about Physix on our website](#)

For questions relating to the environmental product passport or other enquiries on the topic of sustainability,
please contact us at sustainability@vitra.com.

vitra.® All commercial, industrial and intellectual property rights, including trademarks, patents and copyrights, remain the property of Vitra and are explicitly reserved.

No part of this brochure may be reproduced without prior written permission from Vitra.