

# Data sheet Product

design Yamada

iGuzzini

June 2008

## Cone upwards blade downwards



Product code:

5636

Technical description:

Outdoor wall luminaire made of aluminium. The optic system features a biconvex glass lens in the lower section of the optical assembly and a protection glass in the upper section. This system creates "vertical blades of light" in the lower section of the wall and a 46° light cone directed upwards. Die cast aluminium plate for wall fixing with a hole protected with plastic material for the wiring. The body of the fitting is fixed to the plate with a screw, allowing for easy lamp replacement.

Installation:

Fixed to the wall with fischer screws.

Dimension:

205x150mm H 195mm

Color:

White (01) or Grey (15) or Black (04)

Weight

2.6 Kg

Light Source:

Type:	QT-DE12	Socket:	Rx7s
Wattage:	150 Watt	Voltage:	230 Volt
Luminous flux:	2400 Lm	Efficiency:	17 Lm/W
Color temperature:	3000 K	IRC:	100 Ra
Last:	2000 h		

Wiring:

Terminal board on the fixing plate.

Technical Characteristics:

Protection Degree:	IP 44	Complies with EN605981 and pertinent regulations
Insulation Class:	Class I	Complies with EN605981 and pertinent regulations
Resistance:	960°C	

Quality seal:





IMQ



European unified seal

Notes:

/



June 2008

---

## Cone upwards blade downwards

---




Product code:

5636

Version N/S


---

polar curve




---

isolux (single)



---

isolux (pattern)




---

isolux wallwasher




---

isolux (steplight)



---

cartesian diagram



---

## Application setting sheets

iGuzzini

June 2008

---

**Cone upwards blade downwards-** Bar Morgana Victory Bay - Sanremo

Photographer : F.Emilio Simion



---

## Application setting sheets

iGuzzini

June 2008

---

**Cone upwards blade downwards** - Kimono's Doors Store - Alessandria (Italy)

**Photographer** : Fabio Emilio Simion

