

Basis/Reflex



serien
.lighting

Basis/Reflex

Steh-, Wand- und Deckenleuchte

Reflex und Basis zählen zu unseren frühen Entwürfen und sind bis heute fester Bestandteil unseres Programms. Das hat womöglich mit ihrer architektonischen Formensprache zu tun. Reflex hat sich als Leuchte für standardisierte Anschlüsse im Deckenzentrum bewährt: Durch eine leuchteneigene Reflektorfläche sorgt sie – unabhängig von der Deckenfarbe – für gleichmäßige Helligkeit im Raum. Die Stehleuchte Basis ist die mobile Ergänzung zum Programm. Aufgrund der flachen Form ihres Reflektors ist der Lichtaustritt sehr breit. Bestückt mit einer 500 Watt Halogenlampe wird die Stehleuchte Basis so zum besonders lichtstarken Deckenfluter. Der Dimmer ist im Sockel integriert.

Design Jean-Marc da Costa

Material Reflex Classic: Schirm, Rohre und Deckenreflektor weiß pulverbeschichtet oder Schirm und Deckenreflektor silbern eloxiert, Rohre glanz- oder mattverchromt; Reflex Plus: Schirm, Rohre weiß pulverbeschichtet, Deckenreflektor Strukturglas oder Schirm silbern eloxiert, Rohre glanz- oder mattverchromt, Deckenreflektor Strukturglas; Reflex Master: Schirm Alu poliert, Rohre und Lamellen glanzverchromt, Deckenreflektor Strukturglas; Basis Wandleuchte: Schirm, Alu silbern oder schwarz eloxiert oder weiß pulverbeschichtet; Basis Master Wandleuchte: Alu poliert, Lamellen aus vernickeltem Stahl; Basis Stehleuchte: Schirm und Sockel, Alu silbern oder schwarz eloxiert oder weiß pulverbeschichtet; Basis Master Stehleuchte: Alu poliert, Lamellen und Rohre: Stahl vernickelt und klarlackiert.

Leuchtmittel Halogenglühlampe 200, 300 o. 500 W/R7s oder Metallhalogenampflampe 70 o. 150 W/RX7s

Licht Reflex: indirekt über Deckenreflektor und Decke; Basis: indirekt über Decke und Wand, diffus durch seitliche Lamellen

Regelung Reflex und Basis Wand über externen Dimmer empfehlenswert; Basis Stehleuchte: über im Sockel integrierten Dimmer

Sonstiges Reflex: Bildschirmplatztauglichkeit gemäß Arbeitsstättenrichtlinie ASR 7/3 und DIN 5035, auf Wunsch mit Deckenreflektor zum Einsatz in abgehängten Rasterdecken [Standardraster 625 x 625 mm und Sondermaße]

Floor, wall and ceiling luminaire

Reflex and Basis are two of our early de-signs and are still very much a part of our programme. Perhaps this has something to do with their architectural formal language. Reflex has proved to be the ideal luminaire for standard centre-ceiling connections: Regardless of the colour of the ceiling its own reflector zone ensures equal brightness throughout the room. The floor luminaire Basis is a movable addition to the programme. Given the flat reflector it emits a wide angle of light. Equipped with a 500 Watt halogen bulb, Basis is ideal for bathing ceilings in powerful light. The dimmer is integrated in the base.

Design Design Jean-Marc da Costa

Material Reflex Classic: shade, stems and ceiling reflector white powder-coated or shade and ceiling reflector silver anodised, stems bright or matt chrome-plated; Reflex Plus: shade, stems white powder-coated, ceiling reflector textured glass or shade silver anodised, stems bright or matt chrome-plated, ceiling reflector textured glass; Reflex Master: shade polished aluminium, stems and lamellae bright chrome-plated, ceiling reflector textured glass; Basis wall luminaire: Shade, aluminium silver or black anodised or white powder-coated; Basis Master wall luminaire: polished aluminium, lamellae made of nickel-plated steel; Basis floor luminaire: shade and base, aluminium silver or black anodised or white powder-coated; Basis Master floor luminaire: Aluminium polished, lamellae and stems: nickel-plated steel and varnished

Bulbs 200, 300 or 500 W/R7s halogen bulbs or metal halides 70 or 150 W/RX7s

Light Reflex: indirect via ceiling reflector and ceiling; Basis: indirect via ceiling and wall, diffused through lateral lamellae

Control Reflex and Basis wall version recommended via external dimmer; Basis floor version: via dimmer integrated in base

Other features Reflex: Suitable for EDP-related work in accordance with Workplace Guideline ASR 7/3 and German norm DIN 5035, on request with ceiling reflector for use in suspended grid ceilings (standard grid 625 x 625 mm and special dimensions)












Floor lamp



Ceiling lamp



Wall lamp





serien
.lighting

serien Raumleuchten GmbH | Hainhäuser Str. 3-7 | D-43110 Radgau | Tel: +49 (0)6106 69 090 | www.serien.com