


Grant Table Lamp - EU Version



DESCRIPTION

The Grant table lamp is a sophisticated desk lamp for the home office, but equally fit for the bedside table or living room sideboard. Tilt the lampshade up and down to direct the light and scroll on the cord's dimmer switch to go from soft ambience light to a bright reading light.

DESIGN

Simon Legald, 2018

MATERIAL

Brass Plated Steel / Black Plated Steel / Granite

CONSTRUCTION

The six versions of Grant collection are constructed with a replaceable low-energy LED light source with dispersion lens, which is attached with small brass finger screws. The wall lamp versions can move from side to side (ca. 180 degrees). A ball joint connection on the table and floor lamp allows the lampshades to be positioned in diverse directions.

MAINTENANCE

Clean with damp cloth. Avoid use of all-purpose cleaners and other degreasing detergents.

CORD

4 m textile cord with switch, black color.

DIMMABLE FUNCTION

Yes.

VOLTAGE

220-240 V

MAX LOAD

7 W

FREQUENCY

50/60 Hz

IP RATING

IP20

CLASSIFICATION

Class II

SOCKET

GX53

LIGHT SOURCE - INCLUDED

LED included: GX53 Art. No.: 502027

Power: 4W ± 10%

CCT: 3 000 K

Output: 300 lm ± 10%

Life Span: 15 000-20 000

CRI: ~ 80

GENERAL STANDARD & CERTIFICATES


EN 55015:2013

EN 55015:2013+A1:2015

EN 61547:2009

EN 61000-3-2:2014


EN 61000-3-3:2013



COLOR




Brass /
Granite



Black /
Granite

Grant Wall Lamp 43 cm - US Version



DESCRIPTION

An aesthetic and space-optimizing lighting solution, the Grant wall lamps have arms that move from right to left and lampshades that can be tipped up and down, allowing the lamps to take up several different positions.

DESIGN

Simon Legald, 2018

MATERIAL

Brass Plated Steel / Black Plated Steel / Granite

CONSTRUCTION

The six versions of Grant collection are constructed with a replaceable low-energy LED light source with dispersion lens, which is attached with small brass finger screws. The wall lamp versions can move from side to side (ca. 180 degrees). A ball joint connection on the table and floor lamp allows the lampshades to be positioned in diverse directions.

MAINTENANCE

Clean with damp cloth. Avoid use of all-purpose cleaners and other degreasing detergents.

CORD

4 m textile cord with switch, black color.

DIMMABLE FUNCTION

Yes.

VOLTAGE

120 V

MAX LOAD

7 W

FREQUENCY

60 Hz

IP RATING

IP20

CLASSIFICATION

Class I

SOCKET

GX53

LIGHT SOURCE - INCLUDED

LED included: GX53 Art. No.: 502027


Power: 4W ± 10%

CCT: 3 000 K

Output: 300 lm ± 10%

Life Span: 15 000-20 000

CRI: ~ 80



COLOR




Brass /
Granite



Black /
Granite

Grant Wall Lamp 111 cm - US Version



DESCRIPTION

An aesthetic and space-optimizing lighting solution, the Grant wall lamps have arms that move from right to left and lampshades that can be tipped up and down, allowing the lamps to take up several different positions.

DESIGN

Simon Legald, 2018

MATERIAL

Brass Plated Steel / Black Plated Steel / Granite

CONSTRUCTION

The six versions of Grant collection are constructed with a replaceable low-energy LED light source with dispersion lens, which is attached with small brass finger screws. The wall lamp versions can move from side to side (ca. 180 degrees). A ball joint connection on the table and floor lamp allows the lampshades to be positioned in diverse directions.

MAINTENANCE

Clean with damp cloth. Avoid use of all-purpose cleaners and other degreasing detergents.

CORD

4 m textile cord with switch, black color.

DIMMABLE FUNCTION

Yes.

VOLTAGE

120 V

MAX LOAD

7 W

FREQUENCY

60 Hz

IP RATING

IP20

CLASSIFICATION

Class I

SOCKET

GX53

LIGHT SOURCE - INCLUDED

LED included: GX53 Art. No.: 502027



Power: 4W±10%

CCT: 3 000 K

Output: 300 lm ±10%

Life Span: 15 000-20 000

CRI: ~ 80



COLOR



Brass /
Granite



Black /
Granite