# **BELL**

**EU Version** 





# Bell Lamp X-Small - EU Version





#### **DESCRIPTION**

The Bell lamp takes its starting point in the iconic shape of a bell. Special attention has been payed to the details, emphasizing the gathering point between the cord and the lamp itself in a contemporary way. With its industrial, yet friendly look Bell is ideal for both home decors and professional environments.

#### **DESIGN**

Andreas Lund & Jacob Rudbeck, 2012

#### MATERIAL

Powder Coated Aluminum

#### **CONSTRUCTION**

The four different sizes of the Bell collection share the same shape, which is connected to the cable in the top part. The construction with a rubber band detail connects the cable and shade permanently. All shades are white on the inside for optimal light reflection.

#### **MAINTENANCE**

Clean with damp cloth. Avoid use of all-prupose cleaners and others degreasing detergents.

#### CORD

4m textile cord (white shade - white cord/grey shade - black cord/ black shade - black cord/sand shade - brown cord).

# CANOPY

Included, black or white color, H: 7,7  $\times$  Ø: 9 cm 0,04 kg

## DIMMABLE FUNCTION

Yes-with dimmable light source. Ensure your dimmer is compatible with LED.

VOLTAGE 220-240 V

MAX LOAD 60 W

**FREQUENCY** 50/60 Hz

IP RATING IP20

CLASSIFICATION Class II


SOCKET

LIGHT SOURCE - RECOMMENDED G9 EU Power: 8W CCT: 2700 K

Output: 800 lm Life Span: 15 000 h

CRI:~80

**GENERAL STANDARD & CERTIFICATES** 





















# Bell Lamp Small - EU Version





#### **DESCRIPTION**

The Bell lamp takes its starting point in the iconic shape of a bell. Special attention has been payed to the details, emphasizing the gathering point between the cord and the lamp itself in a contemporary way. With its industrial, yet friendly look Bell is ideal for both home decors and professional environments.

#### **DESIGN**

Andreas Lund & Jacob Rudbeck, 2012

#### MATERIAL

Powder Coated Aluminum

#### **CONSTRUCTION**

The four different sizes of the Bell collection share the same shape, which is connected to the cable in the top part. The construction with a rubber band detail connects the cable and shade permanently. All shades are white on the inside for optimal light reflection.

#### **MAINTENANCE**

Clean with damp cloth. Avoid use of all-prupose cleaners and others degreasing detergents.

#### CORD

4m textile cord (white shade - white cord/grey shade - black cord/ black shade - black cord/sand shade - brown cord).

# CANOPY

Included, black or white color, H: 7,7 x  $\varnothing$ : 9 cm 0,04 kg

# DIMMABLE FUNCTION

Yes-with dimmable light source. Ensure your dimmer is compatible with LED.

VOLTAGE 220-240V

MAX LOAD 60 W

**FREQUENCY** 50/60Hz

IP RATING IP20


CLASSIFICATION Class II

SOCKET E27

LIGHT SOURCE - RECOMMENDED Art. No.: 504052, LED E27 EU, not dimmable

Power: 8W CCT: 2700 K Output: 800 lm Life Span: 15 000 h CRI:~80

**GENERAL STANDARD & CERTIFICATES** 
























# Bell Lamp Medium - EU Version





#### **DESCRIPTION**

The Bell lamp takes its starting point in the iconic shape of a bell. Special attention has been payed to the details, emphasizing the gathering point between the cord and the lamp itself in a contemporary way. With its industrial, yet friendly look Bell is ideal for both home decors and professional environments.

## **DESIGN**

Andreas Lund & Jacob Rudbeck, 2012

#### MATERIAL

Powder Coated Aluminum

#### **CONSTRUCTION**

The four different sizes of the Bell collection share the same shape, which is connected to the cable in the top part. The construction with a rubber band detail connects the cable and shade permanently. All shades are white on the inside for optimal light reflection.

#### **MAINTENANCE**

Clean with damp cloth. Avoid use of all-prupose cleaners and others degreasing detergents.

#### CORD

4m textile cord (white shade - white cord/grey shade - black cord/ black shade - black cord/sand shade - brown cord).

# **CANOPY**

Included, black or white color, H: 7,7 x  $\varnothing$ : 9 cm 0,04 kg

## DIMMABLE FUNCTION

Yes-with dimmable light source. Ensure your dimmer is compatible with LED.

VOLTAGE 220-240V

MAX LOAD 60 W

**FREQUENCY** 50/60Hz

IP RATING IP20

CLASSIFICATION


Class II

SOCKET

LIGHT SOURCE - RECOMMENDED Art. No.: 504052, LED E27 EU, not dimmable

Power: 8W CCT: 2700 K Output: 800 lm Life Span: 15 000 h

**GENERAL STANDARD & CERTIFICATES** 
























# Bell Lamp Large - EU Version





#### **DESCRIPTION**

The Bell lamp takes its starting point in the iconic shape of a bell. Special attention has been payed to the details, emphasizing the gathering point between the cord and the lamp itself in a contemporary way. With its industrial, yet friendly look Bell is ideal for both home decors and professional environments.

#### **DESIGN**

Andreas Lund & Jacob Rudbeck, 2012

#### MATERIAL

Powder Coated Aluminum

#### **CONSTRUCTION**

The four different sizes of the Bell collection share the same shape, which is connected to the cable in the top part. The construction with a rubber band detail connects the cable and shade permanently. All shades are white on the inside for optimal light reflection.

#### **MAINTENANCE**

Clean with damp cloth. Avoid use of all-prupose cleaners and others degreasing detergents.

#### CORD

4m textile cord (white shade - white cord/grey shade - black cord/ black shade - black cord/sand shade - brown cord).

# CANOPY

Included, black or white color, H: 7,7  $\times$  Ø: 9 cm 0,04 kg

## DIMMABLE FUNCTION

Yes-with dimmable light source. Ensure your dimmer is compatible with LED.

VOLTAGE 220-240 V

MAX LOAD 60 W

**FREQUENCY** 50/60 Hz

IP RATING IP20

CLASSIFICATION

Class II

SOCKET

LIGHT SOURCE - RECOMMENDED Art. No.: 504052, LED E27 EU, not dimmable

Power: 8W CCT: 2700 K Output: 800 lm Life Span: 15 000 h CRI:~80

**GENERAL STANDARD & CERTIFICATES** 

