



TR4110XD

Cooker size: 110x60 cm

N. of cavities with energy label: 2

Heat source: ELECTRICITY

Hob type: Gas

Type of main oven: Thermo-ventilated

Type of second oven: Fan assisted

Cleaning system main oven: Vapor Clean

Colour: Stainless steel

EAN code: 8017709201357

Energy efficiency class: A

Energy efficiency class, second cavity: A



Programs / Functions

No. of cooking functions: 7

Traditional cooking functions




Cleaning functions



Other functions



Programs / Functions Auxiliary Oven



Traditional cooking functions, cavity 2



Aesthetics

Design: Victoria

Aesthetics: Victoria

Colour: Stainless steel

Door: With frame

Upstand: yes

Type of pan stands: Cast Iron

Command panel finish: Stainless steel

Control knobs: Smeg Victoria

Controls colour: Stainless steel

Display: electronic 5 buttons

Colour of buttons: Black

No. of controls: 12

Serigraphy colour: Black

Handle: Smeg Victoria

Handle Colour: Brushed stainless steel

Glass type: Stopsol

Plinth: Anthracite

Storage compartment: Drawer

Logo: assembled 50's

Logo position: Upstand

Alternative colours available: Black, Pink, Pastel Blue

Hob technical features



Total no. of cook zones: 7

Gas Type: G20 Natural gas

Gas safety valves

Left - Gas - 2UR (dual) - 4200 W

Front left - Gas - AUX - 1000 W

Rear left - Gas - Rapid - 2900 W

Front centre - Gas - Rapid - 2900 W

Rear centre - Gas - AUX - 1000 W

Front right - Gas - Semi Rapid - 1800 W

Rear right - Gas - Semi Rapid - 1800 W

Main Oven Technical Features

No. of lights: 1

Net volume of the cavity: 61 litres

Gross volume, 1st cavity: 70 litres

Cavity material: Ever Clean enamel

No. of shelves: 4

Type of shelves: Metal racks

Light type: Halogen

Light Power: 40 W

Cooking time setting: Start and Stop

Door opening: Side opening

Side opening door

Removable door

Full glass inner door

Removable inner door

Total no. of door glasses: 3

No. of thermo-reflective door glasses: 1

Safety Thermostat

Cooling system: Tangential

Usable cavity space dimensions (HxWxD): 316x444x425 mm

Temperature control: Electro-mechanical

Lower heating element power: 1200 W

Upper heating element - Power: 1000 W

Grill element: 1700 W

Large grill - Power: 2700 W

Circular heating element - Power: 2700 W

Grill type: Electric



Options Main Oven

Timer
End of cooking acoustic alarm
Minimum Temperature: 50 °C
Maximum temperature: 260 °C

Second Oven Technical Features

Net volume of the second cavity: 61 litres
Gross volume, 2nd cavity: 70 litres
Cavity material: Ever Clean enamel
No. of shelves: 4
Type of shelves: Metal racks
No. of lights: 1
Light type: Halogen
Light Power: 40 W
Door opening: Side opening
Side opening door
Removable door
Full glass inner door
Removable inner door
No. total door glasses: 3

No. thermo-reflective door glasses: 1
Safety Thermostat
Cooling system: Tangential
Usable cavity space dimensions (HxWxD): 316x444x425 mm
Temperature control: Electro-mechanical
Lower heating element - power: 1200 W
Upper heating element - Power: 1000 W
Grill element - power: 1700 W
Large grill - Power: 2700 W
Grill type: Electric
Tilting grill

Options Auxiliary Oven

Minimum Temperature: 50 °C
Maximum temperature: 260 °C

Third Oven Technical Features

Net volume, 3rd cavity: 36 litres
Gross volume, 3rd cavity: 41 litres
Cavity material: Ever Clean enamel
No. of shelves: 2
Type of shelves: Metal racks
No. of lights: 1
Light type: Incandescent
Light Power: 25 W
Door opening: Flap down
Removable door
Full glass inner door
Removable inner door

No. total door glasses: 3
No. of thermo-reflective door glasses: 1
Safety Thermostat
Cooling system: Tangential
Usable cavity space dimensions (HxWxD): 169x440x443 mm
Temperature control: Electro-mechanical
Large grill - Power: 2700 W
Grill type: Electric
Tilting grill

Options Third Oven

Minimum Temperature: 50 °C
Maximum temperature: 260 °C

Accessories included for Main Oven & Hob

Cast iron wok support: 1
TOP Oven grid with back stop: 2
Grill mesh: 1
40mm deep tray: 1

Telescopic Guide rails, partial Extraction : 1

Accessories included for Secondary Oven



Oven grid with back and side stop: 2

Grill mesh: 1

40mm deep tray: 1

Telescopic Guide rails, partial Extraction : 1

Accessories included for Third Oven

Oven grid with back and side stop: 1

40mm deep tray: 1

Electrical Connection

Electrical connection rating: 8400 W

Current: 37 Amp

Voltage: 220-240 V

Frequency: 50/60 Hz

Terminal block: 5 poles

