




WORKBOOK

Release 01.17




pendant lamp

**Lederam Manta S1***110V or 240V*


		source	type	watt	lumen	K	CRI	energy class	base	driver/transformer	dimming
LS1502 / shade white/white / gold rod / white disc	€ 635,00	mains voltage LED	LED module	1x17W	1590	2700 warm	80	A+	BC white Ø 9x3,5 cm	-	YES*
LS1802 / shade white/white / satin rod / white disc	€ 635,00	mains voltage LED	LED module	1x17W	1590	2700 warm	80	A+	BC white Ø 9x3,5 cm	-	YES*
LS11002 / shade white/white / white rod / white disc	€ 635,00	mains voltage LED	LED module	1x17W	1590	2700 warm	80	A+	BC white Ø 9x3,5 cm	-	YES*
LS1602 / shade white/gold / satin rod / white disc	€ 735,00	mains voltage LED	LED module	1x17W	1590	2700 warm	80	A+	BC white Ø 9x3,5 cm	-	YES*
LS1302 / shade black/gold / black rod / gold disc	€ 735,00	mains voltage LED	LED module	1x17W	1590	2700 warm	80	A+	BC black Ø 9x3,5 cm	-	YES*
LS1402 / shade black/copper / black rod / copper disc	€ 735,00	mains voltage LED	LED module	1x17W	1590	2700 warm	80	A+	BC black Ø 9x3,5 cm	-	YES*

wall/ceiling lamp

**Lederam Manta CWS1***110V or 240V*

		source	type	watt	lumen	K	CRI	energy class	base	driver/transformer	dimming
LCWS1502 / shade white/white / gold rod / white disc	€ 575,00	mains voltage LED	LED module	1x17W	1590	2700 warm	80	A+	BC white Ø 9x3,5 cm	-	YES*
LCWS1802 / shade white/white / satin rod / white disc	€ 575,00	mains voltage LED	LED module	1x17W	1590	2700 warm	80	A+	BC white Ø 9x3,5 cm	-	YES*
LCWS11002 / shade white/white / white rod / white disc	€ 575,00	mains voltage LED	LED module	1x17W	1590	2700 warm	80	A+	BC white Ø 9x3,5 cm	-	YES*
LCWS1602 / shade white/gold / satin rod / white disc	€ 675,00	mains voltage LED	LED module	1x17W	1590	2700 warm	80	A+	BC white Ø 9x3,5 cm	-	YES*
LCWS1302 / shade black/gold / black rod / gold disc	€ 675,00	mains voltage LED	LED module	1x17W	1590	2700 warm	80	A+	BC black Ø 9x3,5 cm	-	YES*
LCWS1402 / shade black/copper / black rod / copper disc	€ 675,00	mains voltage LED	LED module	1x17W	1590	2700 warm	80	A+	BC black Ø 9x3,5 cm	-	YES*


ceiling lamp

**Lederam C150***110V or 240V*

		source	type	watt	lumen	K	CRI	energy class	base	driver/transformer	dimming
LC150502 / shade white/white / gold rod / white disc	€ 360,00	mains voltage LED	LED module	1x17W	1590	2700 warm	80	A+	BC white Ø 9x3,5 cm	-	YES*
LC150802 / shade white/white / satin rod / white disc	€ 360,00	mains voltage LED	LED module	1x17W	1590	2700 warm	80	A+	BC white Ø 9x3,5 cm	-	YES*
LC1501002 / shade white/white / white rod / white disc	€ 360,00	mains voltage LED	LED module	1x17W	1590	2700 warm	80	A+	BC white Ø 9x3,5 cm	-	YES*
LC150602 / shade white/gold / satin rod / white disc	€ 420,00	mains voltage LED	LED module	1x17W	1590	2700 warm	80	A+	BC white Ø 9x3,5 cm	-	YES*
LC150302 / shade black/gold / black rod / gold disc	€ 420,00	mains voltage LED	LED module	1x17W	1590	2700 warm	80	A+	BC black Ø 9x3,5 cm	-	YES*
LC150402 / shade black/copper / black rod / copper disc	€ 420,00	mains voltage LED	LED module	1x17W	1590	2700 warm	80	A+	BC black Ø 9x3,5 cm	-	YES*


C.P.

ceiling lamp




Lederam C180	<i>110V or 240V</i>	source	type	watt	lumen	K	CRI	energy class	base	driver/transformer	dimming
LC180502 / shade white/white / gold rod / white disc	€ 590,00	mains voltage LED	LED module	1x30W	2550	2700 warm	80	A+	BC white Ø 9x3,5 cm	-	YES*
LC180802 / shade white/white / satin rod / white disc	€ 590,00	mains voltage LED	LED module	1x30W	2550	2700 warm	80	A+	BC white Ø 9x3,5 cm	-	YES*
LC1801002 / shade white/white / white rod / white disc	€ 590,00	mains voltage LED	LED module	1x30W	2550	2700 warm	80	A+	BC white Ø 9x3,5 cm	-	YES*
LC180602 / shade white/gold / satin rod / white disc	€ 710,00	mains voltage LED	LED module	1x30W	2550	2700 warm	80	A+	BC white Ø 9x3,5 cm	-	YES*
LC180302 / shade black/gold / black rod / gold disc	€ 710,00	mains voltage LED	LED module	1x30W	2550	2700 warm	80	A+	BC black Ø 9x3,5 cm	-	YES*
LC180402 / shade black/copper / black rod / copper disc	€ 710,00	mains voltage LED	LED module	1x30W	2550	2700 warm	80	A+	BC black Ø 9x3,5 cm	-	YES*

wall lamp




Lederam WF Ø 17 cm	<i>110V or 240V</i>	source	type	watt	lumen	K	CRI	energy class	base	driver/transformer	dimming
LWF17602 / white	€ 175,00	mains voltage LED	LED module	1x17W	1590	2700 warm	80	A+	white Ø 5,5x1,5 cm	-	YES*
LWF17102 / black	€ 175,00	mains voltage LED	LED module	1x17W	1590	2700 warm	80	A+	black Ø 5,5x1,5 cm	-	YES*
LWF17302 / gold	€ 215,00	mains voltage LED	LED module	1x17W	1590	2700 warm	80	A+	white Ø 5,5x1,5 cm	-	YES*
LWF17402 / copper	€ 215,00	mains voltage LED	LED module	1x17W	1590	2700 warm	80	A+	white Ø 5,5x1,5 cm	-	YES*
LWF171102 / bronze	€ 245,00	mains voltage LED	LED module	1x17W	1590	2700 warm	80	A+	black Ø 5,5x1,5 cm	-	YES*

wall lamp



Lederam WF Ø 25 cm	<i>110V or 240V</i>	source	type	watt	lumen	K	CRI	energy class	base	driver/transformer	dimming
LWF25602 / white	€ 230,00	mains voltage LED	LED module	1x28W	2550	2700 warm	80	A+	white Ø 5,5x1,5 cm	-	YES*
LWF25102 / black	€ 230,00	mains voltage LED	LED module	1x28W	2550	2700 warm	80	A+	black Ø 5,5x1,5 cm	-	YES*
LWF25302 / gold	€ 280,00	mains voltage LED	LED module	1x28W	2550	2700 warm	80	A+	white Ø 5,5x1,5 cm	-	YES*
LWF25402 / copper	€ 280,00	mains voltage LED	LED module	1x28W	2550	2700 warm	80	A+	white Ø 5,5x1,5 cm	-	YES*
LWF251102 / bronze	€ 320,00	mains voltage LED	LED module	1x28W	2550	2700 warm	80	A+	black Ø 5,5x1,5 cm	-	YES*


wall recessed lamp

**Lederam WFI** Ø 17 cm*110V or 240V*

		source	type	watt	lumen	K	CRI	energy class	base	driver/transformer	dimming
LWFI17602 / white	€ 150,00	mains voltage LED	LED module	1x17W	1590	2700 warm	80	A+	white Ø 7,4x0,5 cm	-	YES*
LWFI17102 / black	€ 150,00	mains voltage LED	LED module	1x17W	1590	2700 warm	80	A+	black Ø 7,4x0,5 cm	-	YES*
LWFI17302 / gold	€ 190,00	mains voltage LED	LED module	1x17W	1590	2700 warm	80	A+	white Ø 7,4x0,5 cm	-	YES*
LWFI17402 / copper	€ 190,00	mains voltage LED	LED module	1x17W	1590	2700 warm	80	A+	white Ø 7,4x0,5 cm	-	YES*
LWFI171102 / bronze	€ 220,00	mains voltage LED	LED module	1x17W	1590	2700 warm	80	A+	black Ø 7,4x0,5 cm	-	YES*

C.P.


wall recessed lamp

**Lederam WFI** Ø 25 cm*110V or 240V*

		source	type	watt	lumen	K	CRI	energy class	base	driver/transformer	dimming
LWFI25602 / white	€ 205,00	mains voltage LED	LED module	1x28W	2550	2700 warm	80	A+	white Ø 7,4x0,5 cm	-	YES*
LWFI25102 / black	€ 205,00	mains voltage LED	LED module	1x28W	2550	2700 warm	80	A+	black Ø 7,4x0,5 cm	-	YES*
LWFI25302 / gold	€ 255,00	mains voltage LED	LED module	1x28W	2550	2700 warm	80	A+	white Ø 7,4x0,5 cm	-	YES*
LWFI25402 / copper	€ 255,00	mains voltage LED	LED module	1x28W	2550	2700 warm	80	A+	white Ø 7,4x0,5 cm	-	YES*
LWFI251102 / bronze	€ 295,00	mains voltage LED	LED module	1x28W	2550	2700 warm	80	A+	black Ø 7,4x0,5 cm	-	YES*


C.P.


wall lamp

**Lederam W1** Ø 25 cm*110V or 240V*


		source	type	watt	lumen	K	CRI	energy class	base	driver/transformer	dimming
LW125602 / white	€ 270,00	mains voltage LED	LED module	1x17W	1590	2700 warm	80	A+	BE white Ø 6,5x3 cm	-	YES*
LW125102 / black	€ 270,00	mains voltage LED	LED module	1x17W	1590	2700 warm	80	A+	BE black Ø 6,5x3 cm	-	YES*
LW125302 / gold	€ 320,00	mains voltage LED	LED module	1x17W	1590	2700 warm	80	A+	BE black Ø 6,5x3 cm	-	YES*
LW125402 / copper	€ 320,00	mains voltage LED	LED module	1x17W	1590	2700 warm	80	A+	BE black Ø 6,5x3 cm	-	YES*





LEDERAM: COLOUR COMBINATIONS AND DETAILS

Lederam S1, CWS1	code	shade		rod	disc	base
		external	internal			
	3	black	gold	black	gold	black
	4	black	copper	black	copper	black
	5	white	white	gold	white	white
	6	white	gold	satin	white	white
	8	white	white	satin	white	white
	10	white	white	white	white	white


Lederam C150, C180	code	shade		rod	disc	base
		external	internal			
	3	black	gold	black	gold	black
	4	black	copper	black	copper	black
	5	white	white	gold	white	white
	6	white	gold	satin	white	white
	8	white	white	satin	white	white
	10	white	white	white	white	white

Lederam WF, WFI	code	disc		base
		external	internal	
	1	black	black	black
	3	gold	white	white
	4	copper	white	white
	6	white	white	white
	11	bronze	black	black

Lederam W1	code	disc		joint	base
		external	internal		
	1	black	black	nickel	black
	3	gold	black	nickel	black
	4	copper	black	nickel	black
	6	white	white	nickel	white

VAT excl.													* K perceived	
pendant lamp 	Macchina della Luce mod. A LED		220-240V	source	type	watt	lumen	K	CRI	energy class	base	driver/transformer	dimming	
	MALD / gold		€ 1.885,00	low voltage 24V DC LED board	LED board	7x6W	4410	2600-2800*	80	A	BB nickel Ø 21x10,5 cm	24V DC	Triac	
	MALDAG / silver		€ 1.885,00	low voltage 24V DC LED board	LED board	7x6W	4410	2600-2800*	80	A	BB nickel Ø 21x10,5 cm	24V DC	Triac	
	MALDR / copper		€ 1.885,00	low voltage 24V DC LED board	LED board	7x6W	4410	2600-2800*	80	A	BB nickel Ø 21x10,5 cm	24V DC	Triac	
	rods 300 cm available on request													available on request 1...10V or DALI dimmable version
pendant lamp 	Macchina della Luce mod. B LED		220-240V	source	type	watt	lumen	K	CRI	energy class	base	driver/transformer	dimming	
	MBLD / gold		€ 1.145,00	low voltage 24V DC LED board	LED board	2x6W	1260	2600-2800*	80	A	BB nickel Ø 21x10,5 cm	24V DC	Triac	
	MBLDAG / silver		€ 1.145,00	low voltage 24V DC LED board	LED board	2x6W	1260	2600-2800*	80	A	BB nickel Ø 21x10,5 cm	24V DC	Triac	
	MBLDR / copper		€ 1.145,00	low voltage 24V DC LED board	LED board	2x6W	1260	2600-2800*	80	A	BB nickel Ø 21x10,5 cm	24V DC	Triac	
	rods 300 cm available on request													available on request 1...10V or DALI dimmable version
pendant lamp 	Macchina della Luce mod. C LED		220-240V	source	type	watt	lumen	K	CRI	energy class	base	driver/transformer	dimming	
	MCLD / gold		€ 2.610,00	low voltage 24V DC LED board	LED board	7x6W	4410	2600-2800*	80	A	BB nickel Ø 21x10,5 cm	24V DC	Triac	
	MCLDAG / silver		€ 2.610,00	low voltage 24V DC LED board	LED board	7x6W	4410	2600-2800*	80	A	BB nickel Ø 21x10,5 cm	24V DC	Triac	
	MCLDR / copper		€ 2.610,00	low voltage 24V DC LED board	LED board	7x6W	4410	2600-2800*	80	A	BB nickel Ø 21x10,5 cm	24V DC	Triac	
	rods 300 cm available on request													* with flying leaf
pendant lamp 	Macchina della Luce mod. D LED		220-240V	source	type	watt	lumen	K	CRI	energy class	base	driver/transformer	dimming	
	MDLD / gold		€ 3.040,00	low voltage 24V DC LED board	LED board	10x6W	6300	2600-2800*	80	A	BB nickel Ø 21x10,5 cm	24V DC	Triac	
	MDLDAG / silver		€ 3.040,00	low voltage 24V DC LED board	LED board	10x6W	6300	2600-2800*	80	A	BB nickel Ø 21x10,5 cm	24V DC	Triac	
	MDLDR / copper		€ 3.040,00	low voltage 24V DC LED board	LED board	10x6W	6300	2600-2800*	80	A	BB nickel Ø 21x10,5 cm	24V DC	Triac	
	rods 300 cm available on request													* with flying leaf

pendant lamp




	220-240V	source	type	watt	lumen	K	CRI	energy class	base	driver/transformer	dimming
MELD / gold	€ 1.115,00	low voltage 24V DC LED board	LED board	4x6W	2520	2600-2800*	80	A	BB nickel Ø 21x10,5 cm	24V DC	Triac
MELDAG / silver	€ 1.115,00	low voltage 24V DC LED board	LED board	4x6W	2520	2600-2800*	80	A	BB nickel Ø 21x10,5 cm	24V DC	Triac
MELDR / copper	€ 1.115,00	low voltage 24V DC LED board	LED board	4x6W	2520	2600-2800*	80	A	BB nickel Ø 21x10,5 cm	24V DC	Triac

rods 300 cm available on request

available on request 1...10V or DALI dimmable version

pendant lamp




	220-240V	source	type	watt	lumen	K	CRI	energy class	base	driver/transformer	dimming
MFLD / gold	€ 2.890,00	low voltage 24V DC LED board	LED board	9x6W	5670	2600-2800*	80	A	BB nickel Ø 21x10,5 cm	24V DC	Triac
MFLDAG / silver	€ 2.890,00	low voltage 24V DC LED board	LED board	9x6W	5670	2600-2800*	80	A	BB nickel Ø 21x10,5 cm	24V DC	Triac
MFLDR / copper	€ 2.890,00	low voltage 24V DC LED board	LED board	9x6W	5670	2600-2800*	80	A	BB nickel Ø 21x10,5 cm	24V DC	Triac

rods 300 cm available on request

* with flying leaf

available on request 1...10V or DALI dimmable version

pendant lamp







	220-240V	source	type	watt	lumen	K	CRI	energy class	base	driver/transformer	dimming
MILD / gold	€ 1.570,00	low voltage 24V DC LED board	LED board	5x6W	3150	2600-2800*	80	A	BB nickel Ø 21x10,5 cm	24V DC	Triac
MILDAG / silver	€ 1.570,00	low voltage 24V DC LED board	LED board	5x6W	3150	2600-2800*	80	A	BB nickel Ø 21x10,5 cm	24V DC	Triac
MILDR / copper	€ 1.570,00	low voltage 24V DC LED board	LED board	5x6W	3150	2600-2800*	80	A	BB nickel Ø 21x10,5 cm	24V DC	Triac

rods 300 cm available on request

available on request 1...10V or DALI dimmable version


MACCHINA DELLA LUCE: LED BOARDS

α	2 x LED board 6W 24V DC 12W	
β	3 x LED board 6W 24V DC 18W	
γ	4 x LED board 6W 24V DC 24W	

Mod. A	42W / 4410 lumen				
		Ø 80 cm			
		Ø 50 cm	β	18W	
		Ø 30 cm	α	12W	
		Ø 18 cm	α	12W	
Mod. B	12W / 1260 lumen				
		Ø 80 cm			
		Ø 18 cm	α	12W	

Mod. C	42W / 4410 lumen				
			Ø 120 cm		
			Ø 80 cm	γ	24W
			Ø 50 cm	β	18W
					
Mod. D	60W / 6300 lumen				
			Ø 120 cm		
			Ø 80 cm	β	18W
			Ø 50 cm	β	18W
			Ø 30 cm	α	12W
			Ø 18 cm	α	12W
Mod. E	24W / 2520 lumen				
			Ø 50 cm		
			Ø 30 cm	α	12W
			Ø 18 cm	α	12W
					
Mod. F	54W / 5670 lumen				
			Ø 120 cm		
			Ø 80 cm	γ	24W
			Ø 50 cm	β	18W
			Ø 30 cm	α	12W
Mod. I	30W / 3150 lumen				
			Ø 80 cm		
			Ø 50 cm	β	18W
			Ø 30 cm	α	12W
					


pendant lamp



Stchu-Moon 02 LED	<i>220-240V</i>	source	type	watt	lumen	K	CRI	energy class	base	driver/transformer	dimming
SM24L / Ø 40 cm / silver	€ 720,00	low voltage 24V DC LED board	LED board	2x5W	1000	2600- 2800*	80	A	BB black Ø 15x7,5 cm	24V DC	Triac
SM24LO / Ø 40 cm / gold	€ 720,00	low voltage 24V DC LED board	LED board	2x5W	1000	2600- 2800*	80	A	BB black Ø 15x7,5 cm	24V DC	Triac
SM24LR / Ø 40 cm / copper	€ 720,00	low voltage 24V DC LED board	LED board	2x5W	1000	2600- 2800*	80	A	BB black Ø 15x7,5 cm	24V DC	Triac
SM26L / Ø 60 cm / silver	€ 940,00	low voltage 24V DC LED board	LED board	2x5W	1000	2600- 2800*	80	A	BB black Ø 15x7,5 cm	24V DC	Triac
SM26LO / Ø 60 cm / gold	€ 940,00	low voltage 24V DC LED board	LED board	2x5W	1000	2600- 2800*	80	A	BB black Ø 15x7,5 cm	24V DC	Triac
SM26LR / Ø 60 cm / copper	€ 940,00	low voltage 24V DC LED board	LED board	2x5W	1000	2600- 2800*	80	A	BB black Ø 15x7,5 cm	24V DC	Triac

available on request 1...10V or DALI dimmable version


pendant lamp



Stchu-Moon 02 LED	<i>220-240V</i>	source	type	watt	lumen	K	CRI	energy class	base	driver/transformer	dimming
SM28L / Ø 80 cm / silver	€ 1.330,00	low voltage 24V DC LED board	LED board	4x5W	2000	2600- 2800*	80	A	BB black Ø 15x7,5 cm	24V DC	Triac
SM28LO / Ø 80 cm / gold	€ 1.330,00	low voltage 24V DC LED board	LED board	4x5W	2000	2600- 2800*	80	A	BB black Ø 15x7,5 cm	24V DC	Triac
SM28LR / Ø 80 cm / copper	€ 1.330,00	low voltage 24V DC LED board	LED board	4x5W	2000	2600- 2800*	80	A	BB black Ø 15x7,5 cm	24V DC	Triac
SM210L / Ø 100 cm / silver	€ 1.890,00	low voltage 24V DC LED board	LED board	4x5W	2000	2600- 2800*	80	A	BB black Ø 15x7,5 cm	24V DC	Triac
SM210LO / Ø 100 cm / gold	€ 1.890,00	low voltage 24V DC LED board	LED board	4x5W	2000	2600- 2800*	80	A	BB black Ø 15x7,5 cm	24V DC	Triac
SM210LR / Ø 100 cm / copper	€ 1.890,00	low voltage 24V DC LED board	LED board	4x5W	2000	2600- 2800*	80	A	BB black Ø 15x7,5 cm	24V DC	Triac

available on request 1...10V or DALI dimmable version

pendant lamp








Fil de Fer LED TRIAC	<i>110V or 240V</i>	source	type	watt	lumen	K	CRI	energy class	base	driver/transformer	dimming
F5SLD / Ø 50 cm / aluminium	€ 1.050,00	low voltage LED bulb	G4	12x1,8W	2400	2700- 2900**	> 80	A+	BB nickel Ø 21x10,5 cm	low voltage electronic 12V DC	Triac
F5SLDOR / Ø 50 cm / gold	€ 1.290,00	low voltage LED bulb	G4	12x1,8W	2400	2700- 2900**	> 80	A+	BB gold leaf Ø 21x10,5 cm	low voltage electronic 12V DC	Triac
F7SLD / Ø 70 cm / aluminium	€ 1.450,00	low voltage LED bulb	G4	18x1,8W	3600	2700- 2900**	> 80	A+	BB nickel Ø 21x10,5 cm	low voltage electronic 12V DC	Triac
F7SLDOR / Ø 70 cm / gold	€ 1.810,00	low voltage LED bulb	G4	18x1,8W	3600	2700- 2900**	> 80	A+	BB gold leaf Ø 21x10,5 cm	low voltage electronic 12V DC	Triac
F10SLD / Ø 100 cm / aluminium	€ 1.950,00	low voltage LED bulb	G4	24x1,8W	4800	2700- 2900**	> 80	A+	BB nickel Ø 21x10,5 cm	low voltage electronic 12V DC	Triac
F10SLDOR / Ø 100 cm / gold	€ 2.435,00	low voltage LED bulb	G4	24x1,8W	4800	2700- 2900**	> 80	A+	BB gold leaf Ø 21x10,5 cm	low voltage electronic 12V DC	Triac

available on request 1...10V or DALI dimmable version

STCHU-MOON: LED BOARDS

LED board 5W 24V DC




Ø 40/60	10W / 1000 lumen	 2x 
Ø 80/100	20W / 2000 lumen	 4x 

FIL DE FER: LED BULB

LED bulb 1,8W



Ø 50	21,6W / 2400 lumen	 12x 
Ø 70	32,4W / 3600 lumen	 18x 
Ø 100	43,2W / 4800 lumen	 24x 

Design:
Enzo Catellani
Guido Parenzan

Catellani & Smith

Offices
Via Antonio Locatelli, 47
I-24020 Villa di Serio BG
Tel. +39 035 656088
Fax +39 035 655605
info@catellanismith.com
www.catellanismith.com

Show-room
Via Jacopo Palma il Vecchio, 3
I-24122 Bergamo
Tel.-Fax +39 035 210193
show-room@catellanismith.com

Catellani & Smith reserves
the right to make technical
or aesthetical modifications
without notice.

