


Ilaria Marelli

Floor lamp, with fluorescent, LED and halogen sources depending on the version. It is composed by two elements in extruded aluminium: depending on versions, body is painted in white, anthracite, champagne and moka, while the main body can be brushed or painted white or anthracite. The LED or halogen uplight source is integrated in the body and it creates a widespread light, while a fluorescent or LED source is integrated in the main body for a widespread and adjustable light. Double switch dimmer on the cable.



www.nemolighting.com Page 1



Ilaria Marelli

HALO+FLUO

Lamping

Source R7s QT-DE (114mm) + G5 T16

Total power 300W + 80W

Emission up and vertical, indirect

Switching double switch, dimmable

Tension 230V

Materials aluminium + PMMA
Notes orientable diffuser

Codes Structure Diffuser

ARA KXX 2B anthracite/anthracite

ARA KWL 2B white/polished

ARA KDL 2B champagne/polished

ARA KXL 2B anthracite/polished


ARA KML 2B moka/polished

ARA KWW 2B white/white

Package 1

Dimensions 13x40x50
Gross weight 12.3 Kg

Package 2



www.nemolighting.com Page 2



Ilaria Marelli

LED+LED

Lamping

Source LED board + linear LED

Total power 23W + 40W

Emission up and vertical, indirect

Switching double, dimmable (DALI on request)

Tension 230V

 Color temperature
 2700K/3000K

 Luminous flux
 2850lm + 5200lm

Typ cri 83 Energy class A+

Materials aluminium + PMMA
Notes orientable diffuser

Codes Structure Diffuser

ARA TWW 2B white/white

ARA TWL 2B white/polished

ARA TXL 2B anthracite/polished

ARA TDL 2B champagne/polished

ARA TXX 2B anthracite/anthracite


ARA TML 2B moka/polished

Net lamp weight 21 Kg

Package 1

Dimensions 13x40x50
Gross weight 12.3 Kg

Package 2



www.nemolighting.com Page 3