

NEMO

ARA FLOOR

Ilaria Marelli

Lampada da terra con sorgenti fluorescenti, LED e alogene a seconda delle versioni.

Composta da due elementi in alluminio estruso. A seconda dei modelli, il corpo è verniciato nelle colorazioni bianco, antracite, champagne e moka, mentre il rotante può essere brillantato o verniciato bianco o antracite. La sorgente uplight incassata nel corpo è LED o alogena e crea una luce diffusa verso il soffitto, nel rotante invece è presente una sorgente fluorescente o LED per un'illuminazione diffusa e orientabile. L'alimentazione è integrata nel corpo della lampada. Dimmer con doppia accensione su cavo.



NEMO

ARA FLOOR

Ilaria Marelli

HALO+FLUO

Lamping

Sorgente	R7s QT-DE (114mm) + G5 T16
Potenza	300W + 80W
Emissione	up and vertical, indirect
Regolazione	double switch, dimmable
Tensione	230V
Materiali	aluminium + PMMA
Notes	orientable diffuser

Codes


	Structure	Diffuser
ARA KXX 2B	anthracite/anthracite	
ARA KWL 2B	white/polished	
ARA KDL 2B	champagne/polished	
ARA KXL 2B	anthracite/polished	
ARA KML 2B	moka/polished	
ARA KWW 2B	white/white	

Imballo 1

Dimensioni	13x40x50
Gross weight	12.3 Kg

Imballo 2

Dimensioni	31x17x190
Gross weight	10.5 Kg



NEMO

ARA FLOOR

Ilaria Marelli

LED+LED

Lamping

Sorgente	LED board + linear LED
Potenza	23W + 40W
Emissione	up and vertical, indirect
Regolazione	double, dimmable (DALI on request)
Tensione	230V
Temperatura colore	2700K/3000K
Flusso Luminoso	2850lm + 5200lm
Typ cri	83
Classe energetica	A+
Materiali	aluminium + PMMA
Notes	orientable diffuser

Codes

ARA TWW 2B

Structure

white/white

Diffuser

ARA TWL 2B

white/polished

ARA TXL 2B

anthracite/polished

ARA TDL 2B

champagne/polished

ARA TXX 2B

anthracite/anthracite

ARA TML 2B

moka/polished

Net lamp weight

21 Kg

Imballo 1

Dimensioni 13x40x50

Gross weight 12.3 Kg

Imballo 2

Dimensioni 31x17x190

Gross weight 10.5 Kg

