

Collection Kelp 2014


TECHNICAL DATA SHEET



KELP OVAL CHANDELIER KELPOC160COP

Chandelier Conical




Art.nr.	Dimensions
KELPCC60BLM	Ø 60cm, Height 70cm, Length stem 200cm, 10x E14, 25,0 kg, black matt finish
KELPCC60WM	Ø 60cm, Height 70cm, Length stem 200cm, 10x E14, 25,0 kg, white matt finish
KELPCC60B	Ø 60cm, Height 70cm, Length stem 200cm, 10x E14, 25,0 kg, bronze finish
KELPCC60ST	Ø 60cm, Height 70cm, Length stem 200cm, 10x E14, 25,0 kg, stainless steel
KELPCC60COP	Ø 60cm, Height 70cm, Length stem 200cm, 10x E14, 25,0 kg, copper finish
KELPCC60BR	Ø 60cm, Height 70cm, Length stem 200cm, 10x E14, 25,0 kg, brass finish
KELPCC60BRA	Ø 60cm, Height 70cm, Length stem 200cm, 10x E14, 25,0 kg, brass aged finish
KELPCC60BRG	Ø 60cm, Height 70cm, Length stem 200cm, 10x E14, 25,0 kg, brass grinded finish
KELPCC80BLM	Ø 80cm, Height 90cm, Length stem 200cm, 10x E14, 30,0 kg, black matt finish
KELPCC80WM	Ø 80cm, Height 90cm, Length stem 200cm, 10x E14, 30,0 kg, white matt finish
KELPCC80B	Ø 80cm, Height 90cm, Length stem 200cm, 10x E14, 30,0 kg, bronze finish
KELPCC80ST	Ø 80cm, Height 90cm, Length stem 200cm, 10x E14, 30,0 kg, stainless steel
KELPCC80COP	Ø 80cm, Height 90cm, Length stem 200cm, 10x E14, 30,0 kg, copper finish
KELPCC80BR	Ø 80cm, Height 90cm, Length stem 200cm, 10x E14, 30,0 kg, brass finish
KELPCC80BRA	Ø 80cm, Height 90cm, Length stem 200cm, 10x E14, 30,0 kg, brass aged finish
KELPCC80BRG	Ø 80cm, Height 90cm, Length stem 200cm, 10x E14, 30,0 kg, brass grinded finish



All chandeliers are supplied with 2 meter stem, 2 meter electrical cable and a ceiling shade.

Chandelier Oval


Art.nr.	Dimensions
KELPOC120BLM	Length 120cm, Width 60cm, Height 55cm, Length stem 200cm, 10x E14, 25,0 kg, black matt finish
KELPOC120WM	Length 120cm, Width 60cm, Height 55cm, Length stem 200cm, 10x E14, 25,0 kg, white matt finish
KELPOC120B	Length 120cm, Width 60cm, Height 55cm, Length stem 200cm, 10x E14, 25,0 kg, bronze finish
KELPOC120ST	Length 120cm, Width 60cm, Height 55cm, Length stem 200cm, 10x E14, 25,0 kg, stainless steel
KELPOC120COP	Length 120cm, Width 60cm, Height 55cm, Length stem 200cm, 10x E14, 25,0 kg, copper finish
KELPOC120BR	Length 120cm, Width 60cm, Height 55cm, Length stem 200cm, 10x E14, 25,0 kg, brass finish
KELPOC120BRA	Length 120cm, Width 60cm, Height 55cm, Length stem 200cm, 10x E14, 25,0 kg, brass aged finish
KELPOC120BRG	Length 120cm, Width 60cm, Height 55cm, Length stem 200cm, 10x E14, 25,0 kg, brass grinded finish
KELPOC140BLM	Length 140cm, Width 60cm, Height 55cm, Length stem 200cm, 10x E14, 30,0 kg, black matt finish
KELPOC140WM	Length 140cm, Width 60cm, Height 55cm, Length stem 200cm, 10x E14, 30,0 kg, white matt finish
KELPOC140B	Length 140cm, Width 60cm, Height 55cm, Length stem 200cm, 10x E14, 30,0 kg, bronze finish
KELPOC140ST	Length 140cm, Width 60cm, Height 55cm, Length stem 200cm, 10x E14, 30,0 kg, stainless steel
KELPOC140COP	Length 140cm, Width 60cm, Height 55cm, Length stem 200cm, 10x E14, 30,0 kg, copper finish
KELPOC140BR	Length 140cm, Width 60cm, Height 55cm, Length stem 200cm, 10x E14, 30,0 kg, brass finish
KELPOC140BRA	Length 140cm, Width 60cm, Height 55cm, Length stem 200cm, 10x E14, 30,0 kg, brass aged finish
KELPOC140BRG	Length 140cm, Width 60cm, Height 55cm, Length stem 200cm, 10x E14, 30,0 kg, brass grinded finish
KELPOC160BLM	Length 160cm, Width 60cm, Height 55cm, Length stem 200cm, 10x E14, 40,0 kg, black matt finish
KELPOC160WM	Length 160cm, Width 60cm, Height 55cm, Length stem 200cm, 10x E14, 40,0 kg, white matt finish
KELPOC160B	Length 160cm, Width 60cm, Height 55cm, Length stem 200cm, 10x E14, 40,0 kg, bronze finish
KELPOC160ST	Length 160cm, Width 60cm, Height 55cm, Length stem 200cm, 10x E14, 40,0 kg, stainless steel
KELPOC160COP	Length 160cm, Width 60cm, Height 55cm, Length stem 200cm, 10x E14, 40,0 kg, copper finish
KELPOC160BR	Length 160cm, Width 60cm, Height 55cm, Length stem 200cm, 10x E14, 40,0 kg, brass finish
KELPOC160BRA	Length 160cm, Width 60cm, Height 55cm, Length stem 200cm, 10x E14, 40,0 kg, brass aged finish
KELPOC160BRG	Length 160cm, Width 60cm, Height 55cm, Length stem 200cm, 10x E14, 40,0 kg, brass grinded finish



All chandeliers are supplied with 2 meter stem, 2 meter electrical cable and a ceiling shade.

Chandelier Round





Art.nr.	Dimensions
KELPC80BLM	Ø 80cm, Height 60cm, Length stem 200cm, 10x E14, 25,0 kg, black matt finish
KELPC80WM	Ø 80cm, Height 60cm, Length stem 200cm, 10x E14, 25,0 kg, white matt finish
KELPC80B	Ø 80cm, Height 60cm, Length stem 200cm, 10x E14, 25,0 kg, bronze finish
KELPC80ST	Ø 80cm, Height 60cm, Length stem 200cm, 10x E14, 25,0 kg, stainless steel
KELPC80COP	Ø 80cm, Height 60cm, Length stem 200cm, 10x E14, 25,0 kg, copper finish
KELPC80BR	Ø 80cm, Height 60cm, Length stem 200cm, 10x E14, 25,0 kg, brass finish
KELPC80BRA	Ø 80cm, Height 60cm, Length stem 200cm, 10x E14, 25,0 kg, brass aged finish
KELPC80BRG	Ø 80cm, Height 60cm, Length stem 200cm, 10x E14, 25,0 kg, brass grinded finish
KELPC100BLM	Ø 100cm, Height 60cm, Length stem 200cm, 10x E14, 30,0 kg, black matt finish
KELPC100WM	Ø 100cm, Height 60cm, Length stem 200cm, 10x E14, 30,0 kg, white matt finish
KELPC100B	Ø 100cm, Height 60cm, Length stem 200cm, 10x E14, 30,0 kg, bronze finish
KELPC100ST	Ø 100cm, Height 60cm, Length stem 200cm, 10x E14, 30,0 kg, stainless steel
KELPC100COP	Ø 100cm, Height 60cm, Length stem 200cm, 10x E14, 30,0 kg, copper finish
KELPC100BR	Ø 100cm, Height 60cm, Length stem 200cm, 10x E14, 30,0 kg, brass finish
KELPC100BRA	Ø 100cm, Height 60cm, Length stem 200cm, 10x E14, 30,0 kg, brass aged finish
KELPC100BRG	Ø 100cm, Height 60cm, Length stem 200cm, 10x E14, 30,0 kg, brass grinded finish
KELPC120BLM	Ø 120cm, Height 60cm, Length stem 200cm, 10x E14, 40,0 kg, black matt finish
KELPC120WM	Ø 120cm, Height 60cm, Length stem 200cm, 10x E14, 40,0 kg, white matt finish
KELPC120B	Ø 120cm, Height 60cm, Length stem 200cm, 10x E14, 40,0 kg, bronze finish
KELPC120ST	Ø 120cm, Height 60cm, Length stem 200cm, 10x E14, 40,0 kg, stainless steel
KELPC120COP	Ø 120cm, Height 60cm, Length stem 200cm, 10x E14, 40,0 kg, copper finish
KELPC120BR	Ø 120cm, Height 60cm, Length stem 200cm, 10x E14, 40,0 kg, brass finish
KELPC120BRA	Ø 120cm, Height 60cm, Length stem 200cm, 10x E14, 40,0 kg, brass aged finish
KELPC120BRG	Ø 120cm, Height 60cm, Length stem 200cm, 10x E14, 40,0 kg, brass grinded finish



All chandeliers are supplied with 2 meter stem, 2 meter electrical cable and a ceiling shade.


Ceiling Lamp Round

Art.nr.	Dimensions
KELPP60BLM	Ø 60cm, Height 30cm, 6x E14, 13,0 kg, black matt finish
KELPP60WM	Ø 60cm, Height 30cm, 6x E14, 13,0 kg, white matt finish
KELPP60B	Ø 60cm, Height 30cm, 6x E14, 13,0 kg, bronze finish
KELPP60ST	Ø 60cm, Height 30cm, 6x E14, 13,0 kg, stainless steel
KELPP60COP	Ø 60cm, Height 30cm, 6x E14, 13,0 kg, copper finish
KELPP60BR	Ø 60cm, Height 30cm, 6x E14, 13,0 kg, brass finish
KELPP60BRA	Ø 60cm, Height 30cm, 6x E14, 13,0 kg, brass aged finish
KELPP60BRG	Ø 60cm, Height 30cm, 6x E14, 13,0 kg, brass grinded finish
KELPP80BLM	Ø 80cm, Height 30cm, 6x E14, 15,0 kg, black matt finish
KELPP80WM	Ø 80cm, Height 30cm, 6x E14, 15,0 kg, white matt finish
KELPP80B	Ø 80cm, Height 30cm, 6x E14, 15,0 kg, bronze finish
KELPP80ST	Ø 80cm, Height 30cm, 6x E14, 15,0 kg, stainless steel
KELPP80COP	Ø 80cm, Height 30cm, 6x E14, 15,0 kg, copper finish
KELPP80BR	Ø 80cm, Height 30cm, 6x E14, 15,0 kg, brass finish
KELPP80BRA	Ø 80cm, Height 30cm, 6x E14, 15,0 kg, brass aged finish
KELPP80BRG	Ø 80cm, Height 30cm, 6x E14, 15,0 kg, brass grinded finish




Kelp Elements

Art.nr.	Dimensions
25KELPBLM	Length 25cm, Width 25cm, Height 35cm, Length steel cable 200cm, 1x E14, 1,5 kg, black matt finish
25KELPWM	Length 25cm, Width 25cm, Height 35cm, Length steel cable 200cm, 1x E14, 1,5 kg, white matt finish
25KELPB	Length 25cm, Width 25cm, Height 35cm, Length steel cable 200cm, 1x E14, 1,5 kg, bronze finish
25KELPST	Length 25cm, Width 25cm, Height 35cm, Length steel cable 200cm, 1x E14, 1,5 kg, stainless steel
25KELPCOP	Length 25cm, Width 25cm, Height 35cm, Length steel cable 200cm, 1x E14, 1,5 kg, copper finish
25KELPBR	Length 25cm, Width 25cm, Height 35cm, Length steel cable 200cm, 1x E14, 1,5 kg, brass finish
25KELPBRA	Length 25cm, Width 25cm, Height 35cm, Length steel cable 200cm, 1x E14, 1,5 kg, brass aged finish
25KELPBRG	Length 25cm, Width 25cm, Height 35cm, Length steel cable 200cm, 1x E14, 1,5 kg, brass grinded finish
50KELPBLM	Length 40cm, Width 40cm, Height 50cm, Length steel cable 200cm, 1x E14, 2,0 kg, black matt finish
50KELPWM	Length 40cm, Width 40cm, Height 50cm, Length steel cable 200cm, 1x E14, 2,0 kg, white matt finish
50KELPB	Length 40cm, Width 40cm, Height 50cm, Length steel cable 200cm, 1x E14, 2,0 kg, bronze finish
50KELPST	Length 40cm, Width 40cm, Height 50cm, Length steel cable 200cm, 1x E14, 2,0 kg, stainless steel
50KELPCOP	Length 40cm, Width 40cm, Height 50cm, Length steel cable 200cm, 1x E14, 2,0 kg, copper finish
50KELPBR	Length 40cm, Width 40cm, Height 50cm, Length steel cable 200cm, 1x E14, 2,0 kg, brass finish
50KELPBRA	Length 40cm, Width 40cm, Height 50cm, Length steel cable 200cm, 1x E14, 2,0 kg, brass aged finish
50KELPBRG	Length 40cm, Width 40cm, Height 50cm, Length steel cable 200cm, 1x E14, 2,0 kg, brass grinded finish
100KELPBLM	Length 80cm, Width 100cm, Height 80cm, Length steel cable 200cm, 5x E14, 15,0 kg, black matt finish
100KELPWM	Length 80cm, Width 100cm, Height 80cm, Length steel cable 200cm, 5x E14, 15,0 kg, white matt finish
100KELPB	Length 80cm, Width 100cm, Height 80cm, Length steel cable 200cm, 5x E14, 15,0 kg, bronze finish
100KELPST	Length 80cm, Width 100cm, Height 80cm, Length steel cable 200cm, 5x E14, 15,0 kg, stainless steel
100KELPCOP	Length 80cm, Width 100cm, Height 80cm, Length steel cable 200cm, 5x E14, 15,0 kg, copper finish
100KELPBR	Length 80cm, Width 100cm, Height 80cm, Length steel cable 200cm, 5x E14, 15,0 kg, brass finish
100KELPBRA	Length 80cm, Width 100cm, Height 80cm, Length steel cable 200cm, 5x E14, 15,0 kg, brass aged finish
100KELPBRG	Length 80cm, Width 100cm, Height 80cm, Length steel cable 200cm, 5x E14, 15,0 kg, brass grinded finish
150KELPBLM	Length 150cm, Width 150cm, Height 150cm, Length steel cable 200cm, 10x E14, 25,0 kg, black matt finish
150KELPWM	Length 150cm, Width 150cm, Height 150cm, Length steel cable 200cm, 10x E14, 25,0 kg, white matt finish
150KELPB	Length 150cm, Width 150cm, Height 150cm, Length steel cable 200cm, 10x E14, 25,0 kg, bronze finish
150KELPST	Length 150cm, Width 150cm, Height 150cm, Length steel cable 200cm, 10x E14, 25,0 kg, stainless steel
150KELPCOP	Length 150cm, Width 150cm, Height 150cm, Length steel cable 200cm, 10x E14, 25,0 kg, copper finish
150KELPBR	Length 150cm, Width 150cm, Height 150cm, Length steel cable 200cm, 10x E14, 25,0 kg, brass finish
150KELPBRA	Length 150cm, Width 150cm, Height 150cm, Length steel cable 200cm, 10x E14, 25,0 kg, brass aged finish
150KELPBRG	Length 150cm, Width 150cm, Height 150cm, Length steel cable 200cm, 10x E14, 25,0 kg, brass grinded finish




All Kelp elements are supplied with 2 lectrical cable, 2 meter steel cable and a ceiling shade.

Central cover




Satellite



Disc



Ceiling Cover in line




BRAND VAN EGMOND B.V. Nikkelstraat 41, 1411 AH Naarden, the Netherlands

☎ +31 (0)35 692 12 59

📠 +31 (0)35 691 17 25

✉ info@brandvanegmond.com

🏠 www.brandvanegmond.com



Cleaning instruction

1. Cleaning by expert is advised.
2. Cut power before cleaning.
3. Clean with a soft dry cloth only or use a feather duster.
4. When using cleaning agent use a multi-surface spray cleaner on a soft cloth. Do not use abrasive cloths or substances and always read the label of any product you wish to use on or near a lamp by BRAND VAN EGMOND.