


# AMBIT PENDANT LAMP - EU VERSION

TAF STUDIO ON THE DESIGN "What defines our attraction to shapes? With the Ambit Pendant Lamp, we wanted to explore form and proportions in a thorough and meticulous way. We discovered a unique dynamic between linear and rounded shapes that gives the lamp its unique outline, making the Ambit Pendant Lamp a timeless design that you'll never grow tired of while its handspun aluminum material and contrasting white inner makes for an elegant touch."



#### **DESIGNED BY / YEAR OF DESIGN**

TAF Studio / 2015

#### ABOUT THE DESIGNER

TAF Studio is a Stockholm-based design and architecture studio making international headlines within product and interior design.

#### CATEGORY

Pendant lamp

#### ENVIRONMENT

Indoor

# DESCRIPTION

Embodying the values of Scandinavian design, the Ambit Pendant Lamp is as timeless as it is contemporary. Made of hand-spun aluminum that has been hand-painted, the Ambit Pendant Lamp has a white interior to heighten contrasts of its outside shade and enhance the light omitted.

# PRODUCTION PROCESS

Made from old brazier traditions, the lamp shade is press spun by hand. Hereafter, the lamp shade is polished and painted by hand.

### MATERIAL

Hand-painted aluminum lamp shade and rubber cord.

#### **CORD LENGTH**

400 cm / I57.5"

#### **BULB INCLUDED**

Ø55: No Ø40: No Ø95: No. Ø16.5: Yes

# **CEILING CAP INCLUDED**

Yes - White

# DIMMABLE FUNCTION

Yes, if dimmable bulb is used.

#### CLEANING AND CARE

Clean the lamp with a soft dry cloth. Always switch off the electricity before cleaning.

# Ø55 & 16.5

Ø40 & Ø25

Ø 9 cm / 3.5

White

5,6 cm / 2.2"



Dusty





















# AMBIT PENDANT LAMP - EU VERSION

















#### LAMP RATING Ø55

Voltage 220-240V 50/60Hz Frequency **IP Rating** IP2O Classification Class II Socket 1 x F97

> Max. 60W; incandescent lamp; Max. I3W; self-ballasted CFL

Max. IIW; self-ballasted LED bulb

# **BULB RECOMMENDATION Ø55**

Lamp base F97

Dimensions Ø60 X IIO mm

Light source shape A6O

Light output 1000 - 2000 lm

Color temperature 2700 K CRI >80

Light source type Halogen/LED

frosted

#### LAMP RATING Ø40

Voltage 220-240V Frequency 50/60Hz IP Rating IP9O Classification Class II Socket 1 x E27

> Max. 60W; incandescent lamp; Max. I3W; self-ballasted

Max. 18W; self-ballasted LED bulb

# **BULB RECOMMENDATION Ø40**

E27 Lamp base Dimensions Ø60 X IIO mm

Light source shape A6O

Light output 600 - 1000 lm Color temperature 2700 K

CRI >80

Light source type Halogen/LED

frosted

E14

#### LAMP RATING Ø25

Voltage 220-240V Frequency 50/60Hz **IP Rating** IP9O Class II Classification Socket 1 x El4

> Max. 6OW; incandescent lamp; Max. I3W; self-ballasted; Type G Max. IIW; self-ballasted LED bulb;

**BULB RECOMMENDATION Ø25** 

Dimensions Ø45 X 85 mm

Light source shape P45

Lamp base

Light output 400 - 600 lm Color temperature 2700 K >80

Light source type Halogen / LED

frosted

# LAMP RATING Ø16.5

Voltage 220-240V Frequency 50/60Hz **IP** Rationg IP2O Classification Class II Socket Lx GX53 Max. I2W LED **BULB SPECIFICATION Ø16.5** 

Lamp base GX53 Dimensions Ø74 X 30 mm

Light source shape Disc

300 - 500 lm Light output Color temperature 2700 K >90

Light source type LED frosted

#### MUUTO



# AMBIT PENDANT LAMP - EU VERSION

# GENERAL STANDARDS & CERTIFICATES

 EU
 CHINA
 AUS/NZL

 REACH
 CCC
 RCM

 Directive - EC/1907/2006
 GB 7000.201 and GB 7000.1
 AS/NZS 60598.1 and AS/NZS 60598.2.1

Low Voltage Directive (LVD)- 2014/35/EU IEC 60598-I and IEC 60598-2-I (EU deviations)

ROHS Directive - 2011/65/EU amended RoHS 3 Directive 2015/863

ECO Design Directive - 245/2009/EC

Electromagnetic Compatibility (EMC) Directive - 2014/30/EU

WEEE Directive - 2012/19/EU

#### UK

BS EN 60598-I and BS 4533-IO2.I, EN 60598-2-I

Electrical Equipment (Safety) Regulations 2016

Electromagnetic Compatibility Regulations 2016

The Restriction of the Use of Certain Hazardous Substances in Electrical and

Electronic Equipment Regulations 2012

The Ecodesign for Energy-Related Products and Energy Information

(Amendment) (EU Exit) Regulations 2019