In Between <sup>SK3 & SK4</sup> by Sami Kallio 2019

# 717



# TIT

Product Fact Sheet



In Between <sup>SK3</sup> Sami Kallio 2014

**Product category** Table

**Environment** Indoor

**Material** Solid wood

**Production process** The table is built from oiled or lacquered solid oak.

**Dimensions** Ø: 90cm/35.4in, H: 73cm/28.7in

## Package dimensions

Table tops: H: 4.3cm/1.7in, W: 92cm/36.2in, D:92cm/36.2in Legs: H: 25.5cm/10.03in, D: 81cm/31.88in, L: 23cm/9.05in

**Colli quantity** 1 pc

Weight Product: 20 kg / Packaging: 19.9 + 8.3 kg

**Colours/Finishes** Oiled oak, Smoked oiled oak, Oiled walnut, Black lacquered oak (RAL 9005).


## Strength, Durability and Safety Testing

The In Between table SK4 is tested for strength, durability and safety according to EN 15373 Level 2 - General contract use.

→ Stock items Black lacquered oak, Oiled oak, Smoked oiled oak and Oiled walnut



### **Related products**












 $\rightarrow$  Oiled oak

 $\rightarrow$  Smoked oiled oak

 $\rightarrow$  Oiled walnut

## & Tradition®



## In Between SK4 Sami Kallio 2014

Product category Table

Environment Indoor

Material Solid wood

**Production process** The table is built from oiled or lacquered solid oak.

Dimensions Ø: 120cm/35.4in, H: 73cm/28.7in

## Package dimensions

Table top: H: 4.5cm / 1.8in, W: 120cm / 47.2in, D: 122.5cm/48.2in Legs: H: 25.5cm/10.03in, D: 81cm/31.88in, L: 23cm / 9.05in

Colli quantity

1 pc

Weight Product: 32 kg / Packaging: 32 + 10.1 kg

Colours/Finishes Oiled oak, Smoked oiled oak, Oiled walnut, Black lacquered oak (RAL 9005).


## Strength, Durability and Safety Testing

The In Between table SK4 is tested for strength, durability and safety according to EN 15373 Level 2 - General contract use.

→ Stock items Black lacquered oak, Oiled oak, Smoked oiled oak and Oiled walnut



### **Related products**





→ Black lacquered oak



 $\rightarrow$  Oiled oak





 $\rightarrow$  Smoked oiled oak

## & Tradition<sup>®</sup>

